UNIT INFORMATION SHEETS FOR NS 5123 AT SHOP SCY ON 07/18/17 PAGE 1

TASKS AND INFO LISTED ARE VALID THROUGH END OF SHOPPING COMMENCING ON DATE SHOWN AT TOP OF PAGE (ML949A)

| CDTTTCAT. | ידידוודו | עדעם |
|-----------|----------|------|

|     | CRITICAL UNIT DATA        |             |      |          |  |  |  |  |  |  |  |  |
|-----|---------------------------|-------------|------|----------|--|--|--|--|--|--|--|--|
|     |                           | LAST DONE   | SHOP | NEXT DUE |  |  |  |  |  |  |  |  |
| #   | OIL/WTR SAMP              | 05/17/17    | SCX  | 05/31/17 |  |  |  |  |  |  |  |  |
| #   | LUBE                      | 05/18/17    | SCX  | 07/01/17 |  |  |  |  |  |  |  |  |
| _   | 3 MONTH - MAINT EXPEDITED | 05/18/17    | SCX  | 08/17/17 |  |  |  |  |  |  |  |  |
| _   | 6 MONTH                   | 05/18/17    | SCX  | 11/09/17 |  |  |  |  |  |  |  |  |
| _   | METER                     | 05/18/17    | SCX  | 11/09/17 |  |  |  |  |  |  |  |  |
| _   | 12 MONTH                  | 05/18/17    | SCX  | 11/09/17 |  |  |  |  |  |  |  |  |
| _   | 24/36/48/60               | 11/02/14    | SPE  | 11/09/17 |  |  |  |  |  |  |  |  |
| _   | EVENT RECORDER            | 05/18/17    | SCX  | 08/17/17 |  |  |  |  |  |  |  |  |
| _   | EPA 1 YEAR                | 11/12/16    | SCX  | 11/09/17 |  |  |  |  |  |  |  |  |
| _   | EPA 3 YEAR                | 11/12/16    | SCX  | 11/20/19 |  |  |  |  |  |  |  |  |
| #   | MID-LIFE TUNE UP          | 01/10/08    | JUN  | 08/05/14 |  |  |  |  |  |  |  |  |
| _   | OVERHAUL                  | 01/10/08    | JUN  | 08/21/20 |  |  |  |  |  |  |  |  |
| #   | TRUCK CHANGE              | 04/17/04    | JUN  | 11/25/15 |  |  |  |  |  |  |  |  |
| _   | RETRO REFLECTIVE          | 05/06/15    | MAC  | 06/01/25 |  |  |  |  |  |  |  |  |
| _   | BATTERY SET CHANGE        | 12/04/12    | SCX  | 12/31/22 |  |  |  |  |  |  |  |  |
| AIR | COMP: ? AIR DRYER:        | ? OIL       | CHG: | 01/23/17 |  |  |  |  |  |  |  |  |
| RI: | 97 EPA: 0                 | RAILVIEW: N |      | APU: ?   |  |  |  |  |  |  |  |  |

CAB SGNL: N TM TYPE: 723D77,40H BEARING TYPE: HYATT RMT CTL: N

## \_\_\_\_EMISSION CRITICAL PARTS \_\_\_\_\_

ENGINE LABEL: EMD001-EMDK0645EBL LOCO LABEL: EMD001-EMDK0645EBL 0-TIER 0 EPA COMPLIANCE: EPA REGULATION: A-92 Turbo/GE LF L
GE HP/EMD HPC Turbo
Injector/Pump
Injector/Nozzle ID
Injector/Pump
Injector/Pump
Injector/Pump
Injector/Pump
Injector/Pump
Injector/Pump
Injector/Nozzle ID
Injector/Pump
Injector/Injecto Turbo/GE LP Turbo N/A-NOT APPLICABLE

LEFT CAM POS 2:

N/A-NOT APPLICABLE

| LEFT CAM POS 3:      | N/A-NOT A  | PPLICABLE |
|----------------------|------------|-----------|
| LEFT CAM POS 4:      | N/A-NOT AI | PPLICABLE |
| LEFT CAM POS 5:      | N/A-NOT A  | PPLICABLE |
| LEFT CAM POS 6:      | N/A-NOT A  | PPLICABLE |
| LEFT CAM POS 7:      | N/A-NOT AI | PPLICABLE |
| LEFT CAM POS 8:      | N/A-NOT A  | PPLICABLE |
| LEFT JOURNAL POS 1:  | N/A-NOT Al | PPLICABLE |
| LEFT JOURNAL POS 2:  | N/A-NOT Al | PPLICABLE |
| LEFT JOURNAL POS 3:  | N/A-NOT A  | PPLICABLE |
| LEFT JOURNAL POS 4:  | N/A-NOT A  | PPLICABLE |
| LEFT JOURNAL POS 5:  | N/A-NOT A  | PPLICABLE |
| LEFT JOURNAL POS 6:  | N/A-NOT Al | PPLICABLE |
| LEFT JOURNAL POS 7:  | N/A-NOT Al | PPLICABLE |
| LEFT JOURNAL POS 8:  | N/A-NOT A  | PPLICABLE |
| LEFT JOURNAL POS 9:  | N/A-NOT Al | PPLICABLE |
| RIGHT CAM POS 1:     | N/A-NOT Al | PPLICABLE |
| RIGHT CAM POS 2:     | N/A-NOT Al | PPLICABLE |
| RIGHT CAM POS 3:     | N/A-NOT Al | PPLICABLE |
| RIGHT CAM POS 4:     | N/A-NOT Al | PPLICABLE |
| RIGHT CAM POS 5:     | N/A-NOT Al | PPLICABLE |
| RIGHT CAM POS 6:     | N/A-NOT Al | PPLICABLE |
| RIGHT CAM POS 7:     | N/A-NOT Al | PPLICABLE |
| RIGHT CAM POS 8:     | N/A-NOT A  | PPLICABLE |
| RIGHT JOURNAL POS 1: | N/A-NOT Al | PPLICABLE |
| RIGHT JOURNAL POS 2: | N/A-NOT Al | PPLICABLE |
| RIGHT JOURNAL POS 3: | N/A-NOT Al | PPLICABLE |
| RIGHT JOURNAL POS 4: | N/A-NOT Al | PPLICABLE |
| RIGHT JOURNAL POS 5: | N/A-NOT Al | PPLICABLE |
| RIGHT JOURNAL POS 6: | N/A-NOT Al | PPLICABLE |
| RIGHT JOURNAL POS 7: | N/A-NOT A  | PPLICABLE |
| RIGHT JOURNAL POS 8: | N/A-NOT Al | PPLICABLE |
| RIGHT JOURNAL POS 9: | N/A-NOT Al | PPLICABLE |
|                      |            |           |

(ML949A)

## UNIT INFORMATION SHEETS FOR NS 5123 AT SHOP SCY ON 07/18/17 PAGE 2

## TASKS AND INFO LISTED ARE VALID THROUGH END OF SHOPPING COMMENCING ON DATE SHOWN AT TOP OF PAGE

\_\_\_COMPONENT CHANGE HISTORY\_\_\_\_ DATE DESCRIPTION POS 05-18-2017 GASKET, SWELLEX SOLENOID VALVE N/A 05-18-2017 VALVE, 74VDC, 2TAB, AIR COMP MAGNET N/A 05-18-2017 ELEMENT, AIR FILTER N/A 05-18-2017 BRUSH, GRADE AG137 ALL 05-18-2017 BRUSH, TRACTION MOTOR SD60 EMD 9582217 ALL05-18-2017 ELEMENT, 13 & 20 LINE FILTER AND N/A 05-18-2017 GASKET, RING 3 IN OD CUT-OUT COCKS N/A 05-18-2017 GAUGE, 0 TO 160 LB PRESS, 4-1/2" FACE N/A 05-18-2017 BLADE, 20 IN WIPER 05-18-2017 VALVE, GURU 35F DL 2.1 COMPLETE W HEX 05-18-2017 CAP, WATER TANK, 7 PSI, EMD LOCOMOTIVE N/A N/A N/A 05-18-2017 BRUSH, CARBON GRADE DE-8 N/A 05-18-2017 SPRING, BRUSH ALL 05-18-2017 BRUSH, SPRING, AR10 ALTERNATOR
05-18-2017 BRUSH, CARBON GRADE DE869 W 70 AMP SHUNT
05-18-2017 SHOE, COMPOSITE BRAKE 2IN
05-18-2017 SHOE, COMPOSITE BRAKE 2IN
05-18-2017 CARTRIDGE, BELL RINGER, MOTOR/PLUNGER ALL ALL ALLALL N/A 05-18-2017 BRUSH, GRADE AG137 ALL05-18-2017 BRUSH, TRACTION MOTOR SD60 EMD 9582217 05-18-2017 FILTER, APU & AIR COMP LUBE OIL N/A 05-18-2017 ELEMENT, AIR COMPRESSOR FILTER, ROUND N/A05-18-2017 ELEMENT, FIBERGLASS BAGGY TYPE FILTER 05-18-2017 SEAL, OIL STRAINER FITS, SEE EXT DESC. N/A N/A 05-18-2017 PADLOCK, KEYED ALIKE H10 - D575 05-18-2017 GASKET COVER LUBE OIL FILTER MICHIANA N/A05-18-2017 FILTER, LUBE OIL ALL 05-18-2017 ELEMENT, AIR FILTER, TO ELECT COMPARTMNT N/A 05-18-2017 ELEMENT, SPIN ON FUEL FILTER N/A 05-18-2017 GASKET COVER FUEL OIL FILTER
05-18-2017 FILTER, LUBE OIL
03-31-2017 GASKET, EMD TRACTION MOTOR COVER N/A N/A 004 02-15-2017 GAUGE, AIR FLOW METER (AFM), LESS BASE N/A02-14-2017 FILTER, KIT, ROOF MOUNT AIR CONDITIONER N/A02-14-2017 ELEMENT, FILTER, HVAC/RETURN N/A 02-14-2017 BRUSH, GRADE AG137 ALL 02-14-2017 BRUSH, GRADE AG137 02-14-2017 BRUSH, GRADE AG137 02-14-2017 SHOE, COMPOSITE BRAKE 2IN ALL N/A02-14-2017 OIL, TRACTION MOTOR GEARCASE IN 1-3/4 LB N/A 02-14-2017 GASKET COVER FUEL OIL FILTER N/A 02-14-2017 FILTER, LUBE OIL N/A 02-14-2017 ELEMENT, SPIN ON FUEL FILTER N/A 02-14-2017 LOCO SAMPLE BOTTLE W/ LID, PLASTIC N/A 01-23-2017 GASKET COVER FUEL OIL FILTER 01-23-2017 FILTER, LUBE OIL N/A ALL

01-20-2017 SCX \*\*\*Serviced\*\*\*

\_\_\_\_UNSCHEDULED SHOPPING HISTORY\_\_\_\_

UNIT INFORMATION SHEETS FOR NS 5123 AT SHOP SCY ON 07/18/17 PAGE 3

TASKS AND INFO LISTED ARE VALID THROUGH END OF SHOPPING COMMENCING ON DATE SHOWN AT TOP OF PAGE

(ML949A)

LATEST WHEEL DATA\_\_\_

| AXLE |   | LRT   | RT LFH |      | $_{ m LFT}$ |      | RRT |       | RFH |      | RFT |      |
|------|---|-------|--------|------|-------------|------|-----|-------|-----|------|-----|------|
| 1    | 1 | 12/16 | 1      | 2/16 | 1           | 6/16 | 1   | 12/16 | 1   | 1/16 | 1   | 6/16 |
| 2    | 1 | 10/16 | 1      | 2/16 | 1           | 7/16 | 1   | 10/16 | 1   | 1/16 | 1   | 6/16 |
| 3    | 1 | 9/16  | 1      | 1/16 | 1           | 4/16 | 1   | 10/16 | 1   | 2/16 | 1   | 6/16 |
| 4    | 2 | 4/16  | 1      | 3/16 | 1           | 7/16 | 2   | 4/16  | 1   | 2/16 | 1   | 4/16 |
|      |   |       |        |      |             |      |     |       |     |      |     |      |

KIPS READING > 75\_\_\_\_\_

POS PEAK DATE

HAS NO WHEEL DATA AVAILABLE

OPEN ACCIDENTS\_\_\_\_

HAS NO OPEN ACCIDENTS

\_\_\_\_TROUBLE HISTORY

TT 06-08-2017 STORE UNIT

UNIT TROUBLE COMMENTS:

CONTACT SOC UPON ARRIVAL AT SHOP TO HAVE UNIT PLACED IN STORED STATUS. RESOLVED: BY:

TT 05-26-2017 STORE UNIT

UNIT TROUBLE COMMENTS:

ROUTE TO SCX FOR STORAGE. CONTACT SOC UPON ARRIVAL AT SHOP TO HAVE UNIT PLACED IN STORED STATUS.

RESOLVED: BY:

TT 03-28-2017 TRACTION MOTOR/BEARING/LOCKED/

UNIT TROUBLE COMMENTS:

DERAILMENT CAUSING BLOWER BOOT BOLTS TO SHEAR, BROKE BOTTOM TM COVER #4 TM.

MECH DEPT ASSESSMENT COMMENTS:

OK TO MOVE IN TOW TO SHOP FOR REPAIRS.

MECH DEPT RESOLUTION COMMENTS:

REPLACED COVER AND BOLTS

COMPONENT(S) USED:

GASKET, EMD TRACTION MOTOR COVER

RESOLVED: 03-31-2017 10:04 BY: MAONR

ME 02-24-2017 TOILET TROUBLE

UNIT TROUBLE COMMENTS:

LCDI CAT: CREW CAB PROBLEM , DEF: TOILET, WATER EMPTY,

MECH DEPT ASSESSMENT COMMENTS:

NOTED

MECH DEPT RESOLUTION COMMENTS:

PUMPED TOILET, ADDED WATER

UNIT INFORMATION SHEETS FOR NS 5123 AT SHOP SCY ON 07/18/17 PAGE 4

TASKS AND INFO LISTED ARE VALID THROUGH END OF SHOPPING COMMENCING ON DATE SHOWN AT TOP OF PAGE

(ML949A)

RESOLVED: 03-31-2017 10:06 BY: MAONR

GASKET, EMD TRACTION MOTOR COVER

|             |      |  |       | LA    | B ANA | LYSIS  | HIST  | ORY |      |     |    |     |    |
|-------------|------|--|-------|-------|-------|--------|-------|-----|------|-----|----|-----|----|
|             | PB   | CU   | FE    | AL    | SI    | CR     | В     | ZN  | V100 | %F  | HD | PPI | OS |
| 05-17-2017  | 1    | 10   | 9     | 1     | 5     | 1      | 1     | 1   | 15.0 | 217 | 17 | 47  | 25 |
| 05-17-2017  |      | 3  | 3     |       | 5     |        |       | 2   | 14.5 | 217 | 17 | 47  | 25 |
| 02-14-2017  |      | 5  | 7     |       |       | 1      | 1     | 1   | 15.1 | 219 | 19 | 37  | 27 |
| 01-21-2017  | 3    | 19   | 30    | 2     | 4     | 5      | 1     | 2   | 11.4 | 225 | 16 | 72  | 29 |
| MDH MO 5797 | APP: | APPLY NEW COVERED KNUCKLE BOXES REQ'D BY FRA:      |       |       |       |        |       |     |      |     |    |     |    |
| MDH MO 5797 | APP: | APPLY NEW COVERED KNUCKLE BOXES REQ'D BY FRA:      |       |       |       |        |       |     |      |     |    |     |    |
| MDH MO 6646 | Rep  | Replace EVAC Toilets                               |       |       |       |        |       |     |      |     |    |     |    |
| MDH MO 6653 | Das  | h-2 Lo   | ocomo | tive  | Cab 1 | Replac | ement | t   |      |     |    |     |    |
| MDH MO 6727 | Das  | h 2 Ba   | atter | y Sar | ver Z | ľR     |       |     |      |     |    |     |    |
| MDH WR 5892 | SIG  | SIGN-OFF WHEN SPRING-ASST.CAB SEAT TRIPODS APPLIED |       |       |       |        |       |     |      |     |    |     |    |

\_\_\_\_UNRESOLVED LAB DATA\_\_\_\_

HAS NO UNRESOLVED LABS